

Đ¹/₄Đ°Đ³Đ°Đ·Đ, Đ¹/₂

1001play

--- ĐœĐ°Ñ,Ñ€Đ,Ñ‡Đ¹/₂Ñ<Đ¹ Đ¿Ñ€Đ,Đ¹/₂Ñ,ĐµÑ€
Ñ‡ĐµĐ°Đ³/₄Đ² printer X76
ĐœĐ~ĐžĐ›Đ•ĐçĐžĐ'Đ«Đ™ ---

22 000Ñ€ÑfĐ±



ĐœĐ°Ñ,Ñ€Đ,Ñ‡Đ¹/₂Ñ<Đ¹ Đ¿Ñ€Đ,Đ¹/₂Ñ,ĐµÑ€Ñ‡ĐµĐ°Đ³/₄Đ² - printerÂ X76

==Â Đ•ÑfĐ¶Đ¹/₂Ñ<Ñ,,Đ,Đ³/₄Đ»ĐµÑ,Đ³/₄Đ²Ñ<ĐµÑ‡ĐµĐ°Đ,Ñ•Đ'ĐµĐ»Đ°Ñ,Ñ€Đ°Đ³/₄Đ¿Đ,Ñž,
Đ²Đ³/₄Ñ•Ñ•Ñ,Đ°Đ¹/₂Đ³/₄Đ²Đ,Ñ,Ñ€ÂÑ‡ĐµĐ°Đ¿Đ³/₄Ñ‡Ñ,Ñ<ĐĐ³/₄Ñ•Ñ•Đ,Đ,Ñ•Đ±ĐµÑ€Đ±Đ°Đ¹/₂Đ°Đ°?
==Â Đ'ĐµÑ•ĐµÑ•Đ'ĐµĐ»Đ°Ñ,Ñ€ĐÑ•Đ,Đ¹/₂Đ,Đ¹,Ñ,,Đ,Đ³/₄Đ»ĐµÑ,Đ³/₄Đ²Ñ<Đ¹Ñ‡ĐµĐ°Đ¿Đ³/₄Ñ‡Ñ,Ñ<Đ
Đ³/₄Ñ•Ñ•Đ,Đ,Ñ•Đ±ĐµÑ€Đ±Đ°Đ¹/₂Đ°Đ°?

[ĐjĐœĐžĐçĐĐ•ĐçĐ-Đ'Đ~Đ"Đ•Đž >>>](#)

ĐŸĐ³/₄Đ·Đ²Đ³/₄Đ»Ñ•ĐµÑ,Đ¿ĐµÑ‡Đ°Ñ,Đ°Ñ,Ñ€Ñ‡ĐµĐ°Đ,Ñ,,Đ,Đ³/₄Đ»ĐµÑ,Đ³/₄Đ²Đ³/₄Đ³/₄Ñ‡Đ²ĐµÑ,Đ°
Đ°Đ°Đ°Đ¿Ñ€Đ,Đ¹/₄ĐµÑ€â€Ñ‡ĐµĐ°Đ,Đ¿Đ³/₄Ñ‡Ñ,Ñ<ĐĐ³/₄Ñ•Ñ•Đ,Đ,Ñ•Đ±ĐµÑ€Đ±Đ°Đ¹/₂Đ°Đ°.

ĐŸĐ³/₄Đ'Đ°Đ»ÑžÑ‡Đ°ĐµÑ,Ñ•Ñ•Đ°Đ»ÑžĐ±Đ³/₄Đ¹/₄ÑfĐ°Đ³/₄Đ¹/₄Đ¿Ñ€ÑžÑ,ĐµÑ€Ñf!Ñ‡ĐµÑ€ĐµĐ·USB!

Đ'Đ°Đ³/₄Đ¹/₄Đ¿Đ»ĐµĐ°Ñ,Đµ=Ñ,,Đ,Đ³/₄Đ»ĐµÑ,Đ³/₄Đ²Ñ<Đ¹ÂĐ°Đ°Ñ€Ñ,Ñ€Đ,Đ'Đ¶!!!
*****ÂÂÂĐœĐ³/₄Đ¶ĐµĐ¹/₄Ñ•Đ'ĐµĐ»Đ°Ñ,Ñ€Đ¿Đ³/₄Đ'Đ²Đ°Ñ•Đ»ÑžĐ±Đ³/₄Đ¹
Đ²Đ³/₄Ñ€Đ'-Ñ'Đ°Đ±Đ»Đ³/₄Đ¹/₂!ÂÂ*****



ÐŲÐ°Ñ€Ð°Ð°Ñ, ÐµÑ€Ð Ñ•Ñ, Ð Ð°Ð, printerÂ X76

ÐšÐ•Ð Ð¢Ð Ð'Ð"Ð- Â Â Â -- canon ERC-39, ÐŲÐ'ÐžÐ'Ð•Ð¢ÐžÐ'Ð«Ð™

Ñ€ÐµÐŲÐ, Ð¼ Ð¼ Ð; ÐµÑŲÐ±Ð°Ñ, Ð --Â Â Â Â Â Â Â Â 9 Ð Ð³Ð»Ñċ impact matrix

Ñ€Ð°Ð•Ð¼Ñ€Ñ•Ñ, Ð¼ Ð¼Ð²Ð³Ð¼»Ð° -- Â Â Â Ð•Ð•Ðš, Ð"Ñ€Ð, Ñ,Ñ: 9*9 Ñ,Ð¼ÑŲÐµÐ°, Ñ"Ñ€Ð, Ñ,Ñ, B: 7*9 Ñ,Ð¼ÑŲÐµÐ°

Ð°Ð³Ð¼»Ð¼ ÑŲÐµÑ•Ñ, Ð²Ð³Ð¼ Ñ•Ð¼ Ð¼Ð²Ð³Ð¼»Ð³Ð² Ð² Ñ•Ñ,Ñ€Ð³Ð°ÐµÐµÂ -- Â Â Â 400 Ñ,Ð¼ÑŲÐµÐ°

Ð"Ñ€Ð, Ñ,Ñ, --Â Â Â Ð"Ñ€Ð, Ñ,Ñ, : 33 Ð, Ð»Ð, 35; Ð"Ð Ð"ÐŲÐ¢ B: 40 Ð, Ð»Ð, 42

Ð²Ð³Ð¼Ð¼ Ð¼Ð¼ÐŲÐ¼Ñ•Ñ,Ñ€Ð Ð°Ð³Ð¼; Ð, Ñ€Ð³Ð²Ð°Ð¼Ð¼, Ñ•Â Â Â -- Ð³Ð¼'Ð, Ð¼¼

Ð¼Ñ€Ð Ð³Ð¼ Ð¼¼Ð¼» Ð, Ð Ð²Ðµ Ð°Ð³Ð¼; Ð, Ð

Ñ•Ð°Ð³Ñ€Ñ•Ñ,Ñ€Ð Ð; ÐµÑŲÐ±Ð°Ñ, Ð -- 4.5 Ñ•Ñ,Ñ€Ð³Ð°Ð°Ñ•ÐµÐ°

Ñ€°Đ·Đ¼ĐμÑ€ Đ; Ñ€Đ, ĐμĐ¼Đ½Đ¾Đ¾Đ¾ Đ±ÑfÑ, ĐμÑ€Đ° -- Đ²Ñ«Đ±Đ¾Ñ€ Đ°Đ°Đ° 45 Đ±Đ°Đ¹Ñ, Đ, Đ»Đ, 4 ĐšĐ± Ñ• Đ; Đ¾Đ¼Đ¾Đ¾Ñ%Ñ€ÑŽ Dip Đ; ĐμÑ€ĐμĐ°Đ»ÑŽÑ±Đ°Ñ, ĐμĐ»Đ, Ñ°Đ, Ñ€Đ, Đ½Đ° Đ±ÑfĐ¼Đ°Đ³Đ, --Â Â Â 75.5 Â± 5 Đ¼Đ¼ Đ±ÑfĐ¼Đ°Đ³Đ° Đ´Đ, Đ°Đ¼ĐμÑ, Ñ€ -- 65 Đ¼Đ¼ Đ•Đ•Đ Đ•Đ´ĐžĐčĐšĐ• Đ•Đ• ĐžĐčĐšĐ•Đ— (Đ¶Đ, Đ•Đ½Ñ€) --Â Â Â 10,000,000 Đ»Đ, Đ½Đ, Đ¹ ÑfÑ•Đ»Đ¾Đ²Đ, Ñ• Ñ...Ñ€Đ°Đ½ĐμĐ½Đ, Ñ• --Â Â Â Ñ, ĐμĐ¼Đ; ĐμÑ€Đ°Ñ, ÑfÑ€Đ° (-10 ~ Â° c) Đ²Đ»Đ°Đ¶Đ½Đ¾Ñ•Ñ, Ñ€ (10 ~ 90%) Ñ€Đ°Đ±Đ¾Ñ±Đ°Ñ• Ñ•Ñ€ĐμĐ´Đ° --Â Â Â Ñ, ĐμĐ¼Đ; ĐμÑ€Đ°Ñ, ÑfÑ€Đ° (0 Â° c) Đ²Đ»Đ°Đ¶Đ½Đ¾Ñ•Ñ, Ñ€ (10 ~ 90%) Ñ€Đ°Đ·Đ¼ĐμÑ€Ñ« --Â Â Â 220X150X140 Đ¼Đ¼Â Â Â Â Â Â Đ²ĐμÑ• Đ±Ñ€ÑfÑ, Ñ, Đ¾ -- Â Â Â 3.5 ĐšĐ“ Đ°Đ²Ñ, Đ¾Đ¼Đ°Ñ, Đ, Ñ±ĐμÑ•Đ°Đ, Đ¹ Ñ€ĐμĐ·Đ°Đ° --Â Â Đ½ĐμÑ, Â Â Đ´Đ°Ñ, Ñ±Đ, Đ° Đ°Đ¾Đ½Ñ±Đ° Đ±ÑfĐ¼Đ°Đ³Đ, --Â Â Â Đ´Đ°Â Â Â Â Â Â Ñ, Đ¾Đ»Ñ%Đ, Đ½Đ° Đ±ÑfĐ¼Đ°Đ³Đ, --Â Â Â 0.06-0.08 Đ¼Đ¼ Đ, Đ½Ñ, ĐμÑ€Ñ, ĐμĐ¹Ñ• -- USB Đ°Đ¾Đ¼Đ°Đ½Đ´Đ° --Â Â Â Ñ•Đ¾Đ²Đ¼ĐμÑ•Ñ, Đ, Đ¼ Ñ• EPSON Đ°Đ¾Đ¼Ñ, Ñ€Đ¾Đ»Ñ€ Đ´ĐμĐ½ĐμĐ¶Đ½Ñ«Đ¹ Ñ•Ñ%Đ, Đ° --Â Â Â DC 12-24 Đ¹/1A Đ; Đ, Ñ, Đ°Đ½Đ, Đμ -- Â Â Â DC24V/2.5A



